



**XPG**

Catalogue 2025





# XPG

## XTREME PERFORMANCE GEAR

At XPG, we don't just craft Xtreme Performance Gear for streamers, Esports athletes, and tech enthusiasts. We also work closely and directly with the community to gain valuable insight into the needs of real users, like you. We strive to create products with the highest standards of stability, reliability, and performance in mind.

We deeply value innovation in our approach to design and engineering, which has earned the XPG brand several prestigious international distinctions such as the "iF Design" and "Good Design" awards. We strive to disrupt the status quo of product development by introducing new concepts, materials, and technologies to the industry.

In addition to developing award winning products, we play an active role in the gaming community by sponsoring and supporting Esports events, organizations, and teams from around the world. XPG was established in 2008 by ADATA, a world leader in DRAM module manufacturing.

### Be a Hero.

However you play, we are with you every step of the way. To cherish your GGs and support you in defeat. Because we are all gamers and this is our lifestyle.

So #GAMETOTHEXTREME, and thank you for letting XPG join you on your adventures. We're honored to help you live out your dreams with the absolute best gear crafted on this planet.

**Welcome to Team XPG!**

# INDEX

## DDR5 DRAM

LANCER CUDIMM RGB	04
AICORE R-DIMM	05
LANCER NEON RGB	06
LANCER / LANCER RGB	07
LANCER RGB ROG CERTIFIED	08
LANCER BLADE / LANCER BLADE RGB	09
CASTER / CASTER RGB	10

## DDR4 DRAM

SPECTRIX D35G	11
SPECTRIX D50	12
SPECTRIX D45G	13
SPECTRIX D41	14
GAMMIX D35	14
GAMMIX D45	15
GAMMIX D30	15
GAMMIX D20	16
GAMMIX D10	16

## SSD

GAMMIX S55	17
GAMMIX S70 BLADE	19
GAMMIX S60	20
GAMMIX S50 CORE	21
SPECTRIX S20G	22
GAMMIX S11 PRO	23
SX8200 PRO	24

## PSU

FUSION	25
CYBERCORE II	26
CORE REACTOR II	27
CORE REACTOR II VE	28
KYBER	29
12VHPWR	30
PROBE	31
PYLON	32

## CHASSIS

INVADER X MINI	33
INVADER X BTF	34
INVADER X	35
STARKER AIR BTF	36
STARKER AIR	37
VALOR AIR PLUS	38
VALOR STORM	39
VALOR MESH	40
VALOR AIR	41
BATTLECRUISER II	42

## THERMAL

LEVANTE II 360 AIO Liquid Cooler	43
HURRICANE MAG 120 ARGB PWM	44
HURRICANE 120/140 ARGB PWM	45
VENTO R 120 ARGB PWM	46
VENTO 120 ARGB PWM	47
VENTO PRO 120 PWM	48

## PRIME BOX + SOFTWARE

PRIME BOX	50
PRIME SOFTWARE	51

## GAMING MOUSE

ALPHA WIRELESS	52
ALPHA	53

## GAMING HEADSET

PRECOG STUDIO	54
PRECOG S	55

## GAMING KEYBOARD

SORCERER	56
SORCERER MINI	57

## GAMING MOUSE PAD

FRONTLINE XL	58
FRONTLINE XL SAGA SERIES	59



# LANCER CUDIMM RGB

A NEW HORIZON OF SPEED



**CKD**  
STABLE OPERATION

**80%**  
RECYCLED ALUMINUM

**HIGH SPEED COMPUTING**



▶ **CAPACITY**  
16GB / 24GB

▶ **SPEED**  
DDR5 8400MT/s  
DDR5 8800MT/s  
DDR5 9200MT/s

▶ **HEATSINK COLOR**  
SILVER GREY

▶ **DIMENSIONS (L X W X H)**  
133.35 x 43.56 x 8 mm




# AICORE R-DIMM

UNLEASH EXTREME SPEED  
FOR A SMART FUTURE

intel  
XMP 3.0

AMD  
EXPO  
MEMORY OVERCLOCKING PROFILE



RCD  
STABLE OPERATION

WORKSTATION APPLICATIONS

BOOSTS PRODUCTIVITY



▶ CAPACITY  
16GB

▶ SPEED  
DDR5 6400MT/s  
DDR5 7200MT/s  
DDR5 8000MT/s

▶ HEATSINK COLOR  
BLACK


▶ DIMENSIONS (L X W X H)  
133.35 x 31.25 x 5.57 mm





# LANCER NEON RGB


ABSOLUTELY ILLUMINATED



60%  
RGB AREA

50%  
RECYCLED PLASTIC

10% TEMP  
REDUCED WITH HEAT DISSIPATING  
COATING



▶ CAPACITY  
16GB / 24GB

▶ SPEED  
DDR5 6000MT/s  
DDR5 6400MT/s  
DDR5 6800MT/s  
DDR5 7200MT/s  
DDR5 8000MT/s

▶ HEATSINK COLOR  
SILVER GREY

▶ DIMENSIONS (L X W X H)  
133.35 x 45.18 x 8.7 mm





reddot winner 2023

# LANCER LANCER RGB

UP YOUR GAME



## STYLISH


BOLD LINES & BRUSHED FINISH

## CUSTOMIZABLE

RGB LIGHTING

## EASY OVERCLOCKING

SUPPORTS XMP 3.0 & EXPO



▶ CAPACITY  
16GB / 24GB / 32GB

▶ SPEED  
DDR5 6000MT/s  
DDR5 6400MT/s  
DDR5 6800MT/s  
DDR5 7200MT/s  
DDR5 8000MT/s

▶ HEATSINK COLOR  
BLACK / WHITE

▶ DIMENSIONS (L X W X H)  
133.35 x 43.56 x 8 mm



# LANCER RGB ROG CERTIFIED



CERTIFIED XTREME



**PERFORMANCE**  
ROG-CERTIFIED OVERCLOCKING

**CUSTOMIZABLE**  
RGB LIGHTING

**EASY OVERCLOCKING**  
SUPPORTS XMP 3.0



- ▶ **CAPACITY**  
16GB / 24GB
- ▶ **SPEED**  
DDR5 6600MT/s  
DDR5 7200MT/s
- ▶ **HEATSINK COLOR**  
BLACK MIRROR
- ▶ **DIMENSIONS (L X W X H)**  
133.35 x 43.56 x 8 mm



# LANCER BLADE LANCER BLADE RGB


SLEEK EFFICIENCY, COMPACT POWER



**COMPACT DESIGN**  
LOW-PROFILE HEATSINK

**CUSTOMIZABLE**  
RGB LIGHTING

**EASY OVERCLOCKING**  
SUPPORTS XMP 3.0 & EXPO



- ▶ **CAPACITY**  
8GB/16GB/24GB/32GB
- ▶ **SPEED**  
DDR5 5600MT/s  
DDR5 6000MT/s  
DDR5 6400MT/s
- ▶ **HEATSINK COLOR**  
BLACK  
WHITE
- ▶ **DIMENSIONS (L X W X H)**  
RGB 133.35 x 40 x 7.86 mm  
Non-RGB 133.35 x 33.8 x 7.8 mm





reddot winner 2022

# CASTER CASTER RGB

AT TOP SPEED



**STYLISH**  
GEOMETRIC DESIGN

**CUSTOMIZABLE**  
RGB LIGHTING

**EASY OVERCLOCKING**  
SUPPORTS XMP 3.0 & EXPO




- ▶ **CAPACITY**  
16GB / 32GB
- ▶ **SPEED**  
DDR5 6000MT/s  
DDR5 6400MT/s
- ▶ **HEATSINK COLOR**  
TUNGSTEN GREY
- ▶ **DIMENSIONS (L X W X H)**  
RGB 133.35 X 43 X 8.4 mm  
Non-RGB 133.35 X 37.5 X 8.4 mm



# SPECTRIX D35G


FULL THROTTLE



**COMPACT DESIGN**  
LOW-PROFILE HEATSINK

**CUSTOMIZABLE**  
RGB LIGHTING

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0




- ▶ **CAPACITY**  
8GB/16GB/32GB
- ▶ **SPEED**  
3200MT/s  
3600MT/s
- ▶ **HEATSINK COLOR**  
BLACK  
WHITE
- ▶ **DIMENSIONS (L X W X H)**  
133.35 x 36 x 6.6 mm



# SPECTRIX D50



THE NEED FOR SPEED



**EXCELLENT DURABILITY**  
SOLID CONSTRUCTION

**CUSTOMIZABLE**  
RGB LIGHTING

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0



▶ **CAPACITY**  
8GB/16GB/32GB

▶ **SPEED**  
3200MT/s  
3600MT/s  
4133MT/s

▶ **HEATSINK COLOR**  
TUNGSTEN GREY  
WHITE

▶ **DIMENSIONS (L X W X H)**  
133.35 X 43.56 X 8 mm



# SPECTRIX D45G

BLACK & BRILLIANT



## STYLISH


HEATSINK WITH RUGGED RIDGES

## CUSTOMIZABLE

RGB LIGHTING

## EASY OVERCLOCKING

SUPPORTS XMP 2.0



- ▶ CAPACITY  
8GB/16GB/32GB
- ▶ SPEED  
3200MT/s  
3600MT/s
- ▶ HEATSINK COLOR  
BLACK  
WHITE
- ▶ DIMENSIONS (L X W X H)  
133.35 x 45.26 x 8.2 mm



# SPECTRIX D41




- ▶ CAPACITY  
8GB / 16GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ HEATSINK COLOR  
TUNGSTEN GREY
- ▶ DIMENSIONS (L X W X H)  
133.35 x 45.8 x 8 mm

**STYLISH**  
DIAMOND-CUT DESIGN

**CUSTOMIZABLE**  
LARGE RGB SURFACE

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0

# GAMMIX D35



- ▶ CAPACITY  
8GB / 16GB / 32GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ HEATSINK COLOR  
BLACK / WHITE
- ▶ DIMENSIONS (L X W X H)  
133.35 x 34 x 5.9 mm

**COMPACT DESIGN**  
LOW-PROFILE HEATSINK

**HIGH-QUALITY COMPONENTS**

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0



# GAMMIX D45

intel  
XMP 2.0

AMD  
RYZEN



- ▶ CAPACITY  
8GB / 16GB / 32GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ HEATSINK COLOR  
BLACK / WHITE
- ▶ DIMENSIONS (L X W X H)  
133.35 x 39.17 x 8.2 mm

**STYLISH**

HEATSINK WITH RUGGED RIDGES

**HIGH-QUALITY COMPONENTS**

**EASY OVERCLOCKING**

SUPPORTS XMP 2.0

# GAMMIX D30

intel  
XMP 2.0

AMD  
RYZEN



- ▶ CAPACITY  
8GB / 16GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ DIMENSIONS (L X W X H)  
133.35 x 44.7 x 8.1 mm

**STYLISH**

WING-SHAPED DESIGN

**HIGH-QUALITY COMPONENTS**

**EASY OVERCLOCKING**

SUPPORTS XMP 2.0



# GAMMIX D20

intel  
XMP 2.0

AMD  
RYZEN



- ▶ CAPACITY  
8GB / 16GB / 32GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ HEATSINK COLOR  
BLACK
- ▶ DIMENSIONS (L X W X H)  
133.35 x 34 x 6.5 mm

**STYLISH**  
SHADOW STEALTH DESIGN

**HIGH-QUALITY COMPONENTS**

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0

# GAMMIX D10

intel  
XMP 2.0

AMD  
RYZEN



- ▶ CAPACITY  
8GB / 16GB
- ▶ SPEED  
3200 / 3600 MT/s
- ▶ HEATSINK COLOR  
BLACK
- ▶ DIMENSIONS (L X W X H)  
133.35 x 45.8 x 8 mm

**STYLISH**  
UNIQUE-HEATSINK DESIGN

**HIGH-QUALITY COMPONENTS**

**EASY OVERCLOCKING**  
SUPPORTS XMP 2.0



# GAMMIX S55

POWERING IN YOUR HANDHELD



## HIGH SPEEDS

5,000 / 3,700MB/s (PC / LAPTOP)

## EXPANDED STORAGE

FOR HANDHELDS

## COMPATIBLE WITH

MINI LAPTOPS



- ▶ COMPLIES WITH  
NVMe 1.4
- ▶ CAPACITY  
512GB / 1TB / 2TB
- ▶ SEQUENTIAL READ (MAX.)  
Up to 5,000MB/s (PC / LAPTOP)
- ▶ SEAMLESS PERFORMANCE  
SLC CACHING AND HOST MEMORY BUFFER
- ▶ DIMENSIONS (L X W X H)  
30 x 22 x 2.05 mm
- ▶ WEIGHT  
2.7g
- ▶ WARRANTY  
5-YEAR LIMITED





GAMMIX S70 BLADE



GAMMIX S60

WORK WITH  
**PS5**  
\*Check your console's manual or visit  
[www.adata.com](http://www.adata.com) for more on compatibility

**Work with PS5  
For Compact & Thin Devices**






# GAMMIX S70 BLADE

SHARP AS A BLADE

PCIe  
**4.0**

NVMe  
**1.4**



## HIGH SPEEDS

7,400 / 6,800MB/S(PC/LAPTOP)

## EXPAND PS5 STORAGE

## COMPATIBLE WITH

INTEL® EVO™ LAPTOPS



- ▶ COMPLIES WITH  
NVMe 1.4
- ▶ CAPACITY  
512GB / 1TB / 2TB / 4TB / 8,000GB
- ▶ SEQUENTIAL READ (MAX.)  
Up to 6,300MB/s (PS5)
- ▶ 4K RANDOM SPEED (MAX.)  
750K / 750K IOPS
- ▶ SEAMLESS PERFORMANCE  
SLC CACHING AND DRAM CACHE BUFFER
- ▶ DIMENSIONS (L X W X H)  
80 x 22 x 4.3 mm (W/ HEATSINK), 80 x 22 x 3.3 mm (W/O HEATSINK)
- ▶ WEIGHT  
11g (W/ HEATSINK), 7g (W/O HEATSINK)
- ▶ WARRANTY  
5-YEAR LIMITED



# GAMMIX S60

PERFORMANCE FOR MODERN GAMING

PCIe  
**4.0**

NVMe  
**1.4**



## HIGH SPEEDS

5,000 / 4,200MB/S(PC/LAPTOP)

## EXPAND PS5 STORAGE

## COMPATIBLE WITH

THIN HOST DEVICES



- ▶ COMPLIES WITH  
NVMe 1.4
- ▶ CAPACITY  
512GB / 1TB / 2TB
- ▶ SEQUENTIAL READ (MAX.)  
Up to 4,600MB/s (PS5)
- ▶ SEAMLESS PERFORMANCE  
SLC CACHING AND HOST MEMORY BUFFER
- ▶ DIMENSIONS (L X W X H)  
80 x 22 x 3.13 mm (W/ HEATSINK), 80 x 22 x 2.15 mm (W/O HEATSINK)
- ▶ WEIGHT  
11g (W/ HEATSINK), 7g (W/O HEATSINK)
- ▶ WARRANTY  
5-YEAR LIMITED



# GAMMIX S50 CORE

UPGRADE YOUR GAME

PCIe  
**4.0**

NVMe  
**1.4**



## HIGH SPEEDS

3,500 / 2,800MB/S (PC/LAPTOP)

## ULTRA-FAST

PCIe GEN4 X4 INTERFACE

## COMPATIBLE WITH

THIN HOST DEVICES



- ▶ COMPLIES WITH NVMe 1.4
- ▶ CAPACITY 500GB / 1000GB / 2000GB
- ▶ SEQUENTIAL READ (MAX.) Up to 3,500MB/s (PC / LAPTOP)
- ▶ SEAMLESS PERFORMANCE SLC CACHING AND HOST MEMORY BUFFER
- ▶ DIMENSIONS (L X W X H) 80 x 22 x 2.65 MM (W/ HEATSINK), 80 x 22 x 2.15 MM (W/O HEATSINK)
- ▶ WEIGHT 10.3g (W/ HEATSINK), 6.3g (W/O HEATSINK)
- ▶ WARRANTY 3-YEAR LIMITED



# SPECTRIX S20G

GO TO X-TREMES



**HIGH SPEEDS**  
2,500 / 1,800MB/S

**PROMINENT**  
X-SHAPED RGB DESIGN

**CUSTOMIZED RGB LIGHTING**



- ▶ **COMPLIES WITH**  
PCIe GEN3 x4 WITH NVMe 1.4
- ▶ **CAPACITY**  
500GB / 1TB
- ▶ **4K RANDOM SPEED (MAX.)**  
160K / 190K IOPS
- ▶ **SEAMLESS PERFORMANCE**  
SLC CACHING AND HMB (HOST MEMORY BUFFER)
- ▶ **DIMENSIONS (L X W X H)**  
80 x 22.1 x 7.5 mm
- ▶ **WEIGHT**  
15g
- ▶ **WARRANTY**  
5-YEAR LIMITED

# GAMMIX S11 PRO

REMAINS COOL AT  
BLAZING SPEEDS



## READ SPEED

3500MB/S

## WRITE SPEED

3000MB/S

## NAND FLASH

3D NAND



- ▶ **UNIQUE HEATSINK**  
UP TO 10°C COOLER THAN OTHER SSDS
- ▶ **CAPACITY**  
1TB
- ▶ **4K RANDOM SPEEDS**  
390K / 380K IOPS
- ▶ **COMPLIES WITH**  
NVMe 1.3
- ▶ **DIMENSIONS (L X W X H)**  
80 x 22 x 6.1 MM



# SX8200 PRO

LEVEL UP WITH  
INCREDIBLE PERFORMANCE



## READ SPEED


3500MB/S

## WRITE SPEED

3000MB/S

## NAND FLASH

3D NAND



- ▶ **CAPACITY**  
1TB
- ▶ **4K RANDOM SPEEDS**  
390K / 380K IOPS
- ▶ **SEAMLESS PERFORMANCE**  
SLC CACHING AND DRAM CACHE BUFFER
- ▶ **COMPLIES WITH**  
NVMe 1.3
- ▶ **DIMENSIONS (L X W X H)**  
80 x 22 x 3.5 mm

# FUSION 1600 TITANIUM

POWER SUPREMACY



**XPG | DELTA**  
DESIGN COLLABORATION

**CYBENETICS TITANIUM**  
CERTIFIED

**ATX 3.0 & ATX 3.1 READY**  
2X 12VHPWR (12+4) CONNECTORS

- ▶ DESIGN COLLABORATION WITH DELTA
- ▶ TITANIUM CERTIFIED BY Cybenetics AND 80 PLUS
- ▶ PATENTED PLANAR TRANSFORMER AND GaN FET
- ▶ DIGITAL FUNCTIONALITY VIA XPG PRIME SOFTWARE
- ▶ OFFERS UP TO 2X 12VHPWR CONNECTORS
- ▶ OC LINK CAPABILITY TO COMBINE 2 FUSIONS, OFFERING A TOTAL OF 3200 WATTS OF POWER
- ▶ 135MM DOUBLE BALL BEARING FAN
- ▶ 8 INDUSTRIAL PROTECTIONS
- ▶ 100% JAPANESE CAPACITORS AT 105°C GRADE





# CYBERCORE II PLATINUM

BETTER THAN ULTIMATE



**Cybenetics PLATINUM**  
CERTIFIED

**ATX 3.0 & ATX 3.1 READY**  
12VHPWR (12+4) CONNECTOR


**XPG VENTO PRO 120 PWM**  
By Nidec



- ▶ TWO WATTAGE OPTIONS: 1000W & 1300W
- ▶ CYBENETICS LAMBDA: A- RATING
- ▶ XPG & Nidec COLLABORATION
- ▶ ALL JAPANESE 105°C-GRADE CAPACITORS
- ▶ DIGITAL CONTROL PANEL
- ▶ DC-DC CIRCUIT DESIGN
- ▶ INTERLEAVED PFC
- ▶ 8 INDUSTRIAL PROTECTIONS
- ▶ 10-YEAR WARRANTY

# CORE REACTOR II

IMPROVE YOUR CORE,  
ENHANCE YOUR PERFORMANCE



ATX 3.0 & ATX 3.1 READY

12VHPWR (600W) CONNECTOR

FULLY MODULAR DESIGN



- ▶ TWO WATTAGE OPTIONS: 1000W & 1300W
- ▶ CYBENETICS LAMBDA: A- RATING
- ▶ XPG & Nidec COLLABORATION
- ▶ ALL JAPANESE 105°C-GRADE CAPACITORS
- ▶ DIGITAL CONTROL PANEL
- ▶ DC-DC CIRCUIT DESIGN
- ▶ INTERLEAVED PFC
- ▶ 8 INDUSTRIAL PROTECTIONS
- ▶ 10-YEAR WARRANTY



# CORE REACTOR II VE

IMPROVE YOUR CORE,  
ENHANCE YOUR PERFORMANCE



ATX 3.1 COMPLIANT

12V-2X6 CONNECTOR

LOW RIPPLE NOISE DESIGN



- ▶ TWO WATTAGE OPTIONS: 650W / 750W / 850W
- ▶ CYBENETICS LAMBDA: A- RATING
- ▶ DC-DC CIRCUIT DESIGN
- ▶ COMPACT 140MM LENGTH DESIGN
- ▶ 8 INDUSTRIAL PROTECTIONS
- ▶ BACKED UP BY A 7-YEAR WARRANTY



# KYBER

GO FOR GOLD



ATX 3.1 READY

12VHPWR (600W) CONNECTOR

PREMIUM CAPACITORS



- ▶ ATX 3.1 COMPLIANT
- ▶ AVAILABLE IN 650W, 750W, AND 850W MODELS
- ▶ INTELLIGENT FAN-CURVE DESIGN
- ▶ 105°C-GRADE CAPACITORS



# 12VHPWR CABLE


Unleash Your Power



EXQUISITE CABLE SLEEVE

12VHPWR (600W) CONNECTOR

650MM LENGTH



- ▶ COMPATIBLE WITH HIGH-PERFORMANCE NVIDIA RTX 40 SERIES GRAPHICS CARDS WITH A 12V HIGH POWER (600W) CONNECTOR.
- ▶ PROVIDES A USER-FRIENDLY EXPERIENCE COMPARABLE TO A SINGLE, TRADITIONAL CABLE.
- ▶ COMPATIBLE WITH XPG CYBERCORE AND XPG CORE REACTOR POWER SUPPLY UNITS.



# PROBE

VIABLE, APPLIABLE, &  
RELIABLE



80 PLUS BRONZE EFFICIENCY

ATX V2.52 STANDARDS COMPLIANCE

COMPACT 140MM LENGTH  
FOR EASY INSTALLATION

- ▶ AVAILABLE IN 600W AND 700W MODELS
- ▶ CERTIFIED 80 PLUS BRONZE EFFICIENCY
- ▶ COMPLIANT WITH ATX V2.52 STANDARDS, WITH AN ARRAY OF COMPREHENSIVE CONNECTORS
- ▶ COMPACT 140MM LENGTH DESIGN ENSURES EASIER INSTALLATION WITH MAINSTREAM PC CASES
- ▶ 6 INDUSTRIAL PROTECTIONS WITH A 3-YEAR WARRANTY





# PYLON

RAW ENERGY



DC-TO-DC CIRCUIT  
STABLE POWER DELIVERY

JAPANESE MAIN  
CAPACITOR

120MM FDB  
SILENT-PERFORMANCE FAN



- ▶ 750W, 650W, 550W,
- ▶ 80 PLUS BRONZE
- ▶ CONTINUOUS POWER FOR 24/7 SYSTEM OPERATION
- ▶ 120MM FDB SILENT-PERFORMANCE FAN
- ▶ HIGH CURRENT +12V RAIL SYSTEM COMPATIBILITY
- ▶ JAPANESE MAIN CAPACITOR
- ▶ INDUSTRIAL-LEVEL PROTECTION
- ▶ 5-YEAR WARRANTY





# INVADER X MINI

MINI CASE, MAX VIEW



COMPACT DIMENSIONS

PANAROMIC VIEW CASE

SUPPORTS  
UP TO  
ATX MOTHERBOARDS



- ▶ SLEEK DESIGN WITH TRANSPARENT PANELS
- ▶ COMES WITH 5 ARGB FANS, INCLUDING 4 REVERSE FANS AND ONE REGULAR FAN FOR EFFICIENT AIRFLOW. (INVADERXMINIMT)
- ▶ TOOLLESS, REMOVABLE FRONT PANEL AND TOP & BOTTOM DUST FILTERS FOR QUICK ACCESS AND EASY MAINTENANCE
- ▶ SUPPORTS UP TO ATX MOTHERBOARDS, 330MM GPUS, AND FLEXIBLE STORAGE WITH A REMOVABLE BRACKET
- ▶ ACCOMMODATES A 166MM HEIGHT CPU COOLER OR A 240MM RADIATOR FOR HIGH-PERFORMANCE COOLING

# INVADER X BTF

BUILT FOR THE FUTURE



SUPPORTS  
REVERSE-CONNECTOR  
MOTHERBOARDS

SUPPORTS  
UP TO  
ATX MOTHERBOARDS

SUPPORTS  
VERTICAL OR HORIZONTAL  
GPU INSTALLATION



- ▶ PANORAMIC VIEW WITH 3MM TEMPERED-GLASS
- ▶ SUPPORTS ATX / M-ATX / MINI-ITX MOTHERBOARD, INCLUDING THE LATEST REVERSE-CONNECTOR MOTHERBOARD
- ▶ SUPPORTS UP TO TEN 120MM FANS
- ▶ PRE-INSTALLED FOUR 120MM REVERSED BLADE FANS PLUS ONE 120MM STANDARD FAN
- ▶ SUPPORTS VERTICAL OR HORIZONTAL GPU MOUNTING UP TO 400MM IN LENGTH



# INVADER X

DOMINATE FROM EVERY PERSPECTIVE



**SUPPORTS  
M-ATX REVERSE-CONNECTOR  
MOTHERBOARDS**

**SUPPORTS UP TO  
10X 120MM FANS**

**VERTICAL OR HORIZONTAL  
GPU INSTALLATION  
UP TO 400MM IN LENGTH**



- ▶ PANORAMIC VIEW 3MM TEMPERED-GLASS
- ▶ SUPPORTS UP TO 10X 120MM FANS
- ▶ ATX FORM FACTOR 460 X 210 X 371 MM (18.10 X 8.28 X 14.60 INCH)
- ▶ SUPPORTS ATX / MATX / MINI-ITX MOTHERBOARDS
- ▶ 36MM ADDITIONAL SPACE FOR EASY CABLE MANAGEMENT
- ▶ 4X 120MM PRE-INSTALLED REVERSE BLADE FANS + 1X 120MM REGULAR FAN FOR CERTAIN MODELS

# STARKER AIR BTF

STYLE. AIRFLOW. PERFORMANCE.



**PREMIUM RGB-ILLUMINATED  
STEEL MAGNETIC FRONT PANEL**

**SUPPORTS UP TO  
12X 120MM FANS**

**SUPPORTS  
REVERSE-CONNECTOR  
MOTHERBOARDS**



- ▶ 4X PRE-INSTALLED 120MM DAISY CHAINED ARGB FANS
- ▶ SUPPORTS STANDARD MINI-ITX, MICRO-ATX, ATX, AND E-ATX MOTHERBOARDS
- ▶ TOOL-FREE SIDE AND TEMPERED GLASS PANELS
- ▶ SUPPORTS HIGH-END GRAPHICS CARDS UP TO 390MM LONG, WITH ROTABLE BRACKET FOR VERTICAL GPU INSTALLATION
- ▶ SUPPORTS UP TO 4X 2.5" SSD OR 3X 3.5" HDD WITH A REMOVABLE HDD TRAY
- ▶ CONVENIENT LIGHTING CONTROL WITH RGB LED BUTTON
- ▶ 4 REMOVABLE DUST FILTERS, INCLUDING A FULL-SIZE FILTER IN THE BOTTOM



# STARKER AIR

GO WITH AIRFLOW



## MAGNETIC DETACHABLE FRONT PANEL

FRONT PANEL MESH DESIGN

## EASY TO DETACH AND CLEAN

REMOVABLE-ON-RAIL DUST FILTER

## X2 PRE-INSTALLED XPG VENTO 120 FANS

EFFICIENT AIRFLOW LAYOUT



- ▶ MAGNETIC MESH FRONT PANEL
- ▶ EFFICIENT AIRFLOW LAYOUT
- ▶ INNOVATIVE REMOVABLE-ON-RAIL DUST FILTER
- ▶ FRONT PANEL ARGB ELEMENTS WITH INTEGRATED LIGHTING EFFECTS
- ▶ SUPPORTS VERTICAL GPU INSTALLATION

# VALOR AIR PLUS

ENDLESS POSSIBILITIES



**HIGH-AIRFLOW  
MAGNETIC FRONT PANEL**

**SUPPORTS UP TO  
ATX MOTHERBOARDS**

**GRAPHICS CARDS SUPPORT  
UP TO 340MM LONG**



- ▶ HIGH-AIRFLOW MAGNETIC FRONT PANEL DESIGN PROVIDES EXCELLENT AIRFLOW TO YOUR SYSTEM
- ▶ SUPPORTS MINI-ITX, MICRO-ATX, AND ATX MOTHERBOARDS
- ▶ SUPPORTS COOLING CONFIGURATIONS WITH UP TO 6X 120MM FANS AND A 360MM RADIATOR
- ▶ SUPPORTS GRAPHICS CARDS UP TO 340MM LONG, ACCOMMODATING MOST OF THE RTX 40 SERIES
- ▶ UP TO 4X PRE-INSTALLED 120MM ARGB DAISY-CHAINED FANS (DEPENDING ON THE MODEL)
- ▶ SUPPORTS UP TO 3X 2.5" SSD OR 2X 3.5" HDD WITH A REMOVABLE HDD TRAY
- ▶ REMOVABLE DUST FILTERS INCLUDED



# VALOR STORM

ENDLESS POSSIBILITIES



**2 COLOR DESIGNS**  
BLACK & WHITE

**120MM X4 FANS**  
PRE-INSTALLED

**COMPACT DIMENSIONS**  
GREAT COMPATIBILITY



- ▶ STREAMLINE-CARVING FRONT PANEL DESIGN
- ▶ MAGNETIC DETACHABLE STEEL FRONT PANEL
- ▶ ATX FORM FACTOR 460 X 210 X 371 MM (18.10 X 8.28 X 14.60 INCH)
- ▶ X4 PRE-INSTALLED 120MM FANS
- ▶ CPU COOLER HEIGHT: UP TO 166MM
- ▶ GRAPHICS CARD LENGTH: UP TO 335MM
- ▶ PSU LENGTH: UP TO 180MM (160MM WITH HDD/SSD TRAY)

# VALOR MESH

SMALL SIZE, INFINITE OPTIONS



**2 COLOR DESIGNS**  
BLACK & WHITE

**120MM X4 FANS**  
PRE-INSTALLED

**COMPACT DIMENSIONS**  
GREAT COMPATIBILITY



- ▶ MESH FRONT PANEL DESIGN
- ▶ MAGNETIC DETACHABLE STEEL FRONT PANEL
- ▶ ATX FORM FACTOR 460 X 210 X 371 MM (18.10 X 8.28 X 14.60 INCH)
- ▶ X4 PRE-INSTALLED 120MM FANS
- ▶ CPU COOLER HEIGHT: UP TO 166MM
- ▶ GRAPHICS CARD LENGTH: UP TO 335MM
- ▶ PSU LENGTH: UP TO 180MM (160MM WITH HDD/SSD TRAY)



# VALOR AIR

ENDLESS POSSIBILITIES

**2 COLOR DESIGNS**  
BLACK & WHITE

**120MM X4 FANS**  
PRE-INSTALLED

**COMPACT DIMENSIONS**  
GREAT COMPATIBILITY



- ▶ STREAMLINE-CARVING FRONT PANEL DESIGN
- ▶ MAGNETIC DETACHABLE STEEL FRONT PANEL
- ▶ ATX FORM FACTOR 460 X 210 X 371 MM (18.10 X 8.28 X 14.60 INCH)
- ▶ X4 PRE-INSTALLED 120MM FANS
- ▶ CPU COOLER HEIGHT: UP TO 166MM
- ▶ GRAPHICS CARD LENGTH: UP TO 335MM
- ▶ PSU LENGTH: UP TO 180MM (160MM WITH HDD/SSD TRAY)

# BATTLECRUISER II

ENHANCED FOR THE ULTIMATE GAMER



**420MM RADIATOR  
FRONT INSTALLATION**

**XPG PRIME BOX  
FOR ARGB SYNC**

**E-ATX COMPATIBLE**  
550 X 225 X 506 MM



- ▶ METAL CONSTRUCTION WITH 4 TEMPERED-GLASS PANELS
- ▶ SUPPORTS UP TO 7X 120MM FANS
- ▶ SUPPORTS UP TO 360MM RADIATOR (TOP) AND 420MM RADIATOR (FRONT)
- ▶ SUPPORTS E-ATX / ATX / MATX / MINI-ITX MOTHERBOARDS
- ▶ ADJUSTABLE GPU HOLDER (52-134 MM IN HEIGHT)
- ▶ COMES WITH XPG PRIME BOX ARGB SYNCHRONIZATION (CERTAIN MODELS)



# LEVANTE II 360


COOLING WITHOUT BOUNDARIES



INFINITY MIRROR DESIGN

DUAL-CHAMBER DESIGN  
SUPPORTS UP TO 320W TDP

PRE-INSTALLED  
3-IN-1 ARGB PWM FANS



- ▶ INFINITY MIRROR DESIGN ON THE FANS AND PUMP HEAD FOR A UNIQUE AESTHETIC
- ▶ DUAL-CHAMBER DESIGN WITH HIGH-PERFORMANCE COOLANT, SUPPORTING UP TO 320W TDP
- ▶ PRE-INSTALLED 3-IN-1 ARGB PWM FANS FOR EASY INSTALLATION
- ▶ COMPATIBLE WITH THE LATEST INTEL LGA 1851 AND AMD AM5 SOCKETS



# HURRICANE MAG

CLICK ON, COOL ON.



## DUAL-RING

ARGB LIGHTING EFFECTS

## 4-PIN PWM

DAISY-CHAIN CAPABLE

## HIGH COOLING PERFORMANCE

AIRFLOW & STATIC PRESSURE

- ▶ EFFORTLESSLY SWITCH FAN DIRECTION FROM REGULAR TO REVERSE WITH A SINGLE BUTTON ON THE CONTROLLER CABLE
- ▶ ENJOY SUPERIOR COOLING PERFORMANCE IN BOTH DIRECTIONS WITH XPG'S UNIQUE FAN BLADES
- ▶ CONNECT UP TO 6 FANS WITH JUST ONE POWER CABLE, REDUCING CABLE CLUTTER TO ALMOST NONEXISTENT
- ▶ CONVENIENT 4-PACK SKU PROVIDES ALL THE COMPONENTS YOU NEED FOR A COMPLETE HIGH-AIRFLOW PC BUILD
- ▶ 6-POLE MOTOR TO REDUCE VIBRATIONS, DELIVERING SMOOTHER, QUIETER OPERATION





# HURRICANE 120/140 ARGB PWM


FEEL THE FORCE



**DUAL-RING**  
ARGB LIGHTING EFFECTS

**4-PIN PWM**  
DAISY-CHAIN CAPABLE

**HIGH COOLING PERFORMANCE**  
AIRFLOW & STATIC PRESSURE



- ▶ AVAILABLE IN BLACK AND WHITE MODELS
- ▶ FLUID DYNAMIC BEARING (FDB)
- ▶ PATENTED FAN BLADE DESIGN
- ▶ 4-PIN PWM CONNECTOR
- ▶ SILENT FAN OPERATION

# VENTO R 120 ARGB PWM

BE AWESOME



**DAISY CHAIN**  
SYCHRNIZATION

**QUIELY COOL**  
65.33 CFM AIRFLOW

**REVERSE FAN DESIGN**  
MAXIMIZING AIRFLOW



- ▶ REVERSE FAN DESIGN
- ▶ 4-PIN PWM CONNECTOR DESIGN
- ▶ DAISY-CHAIN CAPABLE, ARGB SOFTWARE COMPATIBLE
- ▶ EFFICIENCY COOLING PERFORMANCE
- ▶ AVAILABLE IN BOTH SINGLE PACK AND TRIPLE PACK OPTIONS



# VENTO 120 ARGB PWM

FEEL THE FORCE



**DAISY CHAIN**  
SYCHRNIZATION

**QUIELY COOL**  
50.27 CFM AIRFLOW

**REVERSE BEARING**  
NOISE RED, LIFESPAN INCREASED



- ▶ 4-PIN PWM CONNECTOR DESIGN
- ▶ DAISY-CHAIN CAPABLE
- ▶ EFFICIENCY COOLING PERFORMANCE
- ▶ AVAILABLE IN BOTH SINGLE PACK AND TRIPLE PACK OPTIONS
- ▶ ARGB SOFTWARE COMPATIBLE

# VENTO PRO 120 PWM

BE AWESOME



**PATENTED NIDEC DESIGN**  
QUIET COOLING SOLUTION

**4-PIN PWM**  
CONNECTOR TYPE

**DUAL BALL BEARING**  
HIGH THERMAL TOLERANCE



- ▶ GENTLE TYPHOON PATENTED NIDEC DESIGN
- ▶ 4-PIN PWM CONNECTOR AND DAISY CHAIN CAPABILITY
- ▶ DUAL BALL BEARING
- ▶ HIGH STATIC PRESSURE 3.15MM H<sub>2</sub>O
- ▶ HIGH AIRFLOW 75 CFM
- ▶ INNOVATIVE FAN MOTOR, PROPELLER, AND SICKLE FAN BLADES DESIGNED BY NIDEC
- ▶ HIGH THERMAL ENDURANCE: 250,000 HOURS AT 25°C, 60,000 HOURS AT 60°C
- ▶ 5-YEAR WARRANTY





### Innovative Fan Blade Design


- Innovative fan propeller
- Reduced vibration and noise
- High Static Pressure, High Airflow

### DUAL BEARINGS

- Japanese Precision Bearings
- Greater Efficiency and Stability
- Long Lifespan



— XPG VENTO PRO 120 PWM (2150 RPM)  
 — Other Brand (2150 RPM)



- 250,000 hours at 25°C
- 60,000 hours at 60°C



# PRIME BOX

PRIME YOUR UNIVERSE



**4 PWM PORT**  
PRECISION PWM CONTROL

**SUPPORT PRIME SOFTWARE**  
RGB LIGHTING CUSTOMIZATION

**EMBEDDED MAGNET DESIGN**  
EASY INSTALLATION



- ▶ 4 PWM CONTROL PORTS SUPPORT PRECISE PWM CONTROL
- ▶ EACH ARGB PORT SUPPORTS UP TO 80 LEDS
- ▶ ULTIMATE CUSTOMIZATION VIA XPG PRIME™ SOFTWARE
- ▶ BUILT-IN MAGNET FOR EASY INSTALLATION
- ▶ COMPACT SIZE: 100 X 68.24 X 18MM







## XPG PRIME SOFTWARE

Enjoy unlimited RGB customization and synchronized lighting across all of your compatible XPG peripherals, components, and memory modules.

<https://prime.xpg.com/>





reddot winner 2022

# ALPHA WIRELESS

UNTETHERED XTREME



**AWARD-WINNING**  
ERGONOMIC DESIGN

**:EXOSKELETON**  
DESIGN LANGUAGE

**XPG PRIME SOFTWARE**  
GAMING CUSTOMIZATION



- ▶ 2022 RED DOT DESIGN AWARD WINNER
- ▶ :EXOSKELETON DESIGN LANGUAGE
- ▶ ERGONOMIC DESIGN
- ▶ CUSTOMIZE LIGHTING AND PERFORMANCE WITH XPG PRIME™ SOFTWARE
- ▶ MULTIPLE CONNECTIVITY OPTIONS
- ▶ LONG BATTERY LIFE
- ▶ PIXART PAW 3335 SENSOR
- ▶ PREMIUM OMRON SWITCHES
- ▶ 2-YEAR WARRANTY





reddot winner 2022

# ALPHA

EXTEND YOUR GAMING FIELD



**AWARD-WINNING**  
ERGONOMIC DESIGN

**:EXOSKELETON**  
DESIGN LANGUAGE

**XPG PRIME SOFTWARE**  
GAMING CUSTOMIZATION



- ▶ 2022 RED DOT DESIGN AWARD WINNER
- ▶ :EXOSKELETON DESIGN LANGUAGE
- ▶ ERGONOMIC DESIGN
- ▶ CUSTOMIZE LIGHTING AND PERFORMANCE WITH XPG PRIME™ SOFTWARE
- ▶ PIXART PAW 3335 SENSOR
- ▶ PREMIUM OMRON SWITCHES
- ▶ 2-YEAR WARRANTY

# PRECOG STUDIO

Immerse | Amplify | Slay



**THE WORLD'S FIRST**  
BALANCED GAMING HEADSET

**4.4MM CONNECTOR**  
ZERO-CROSSTALK CIRCUIT DESIGN

**USB-C DAC**  
SUPERIOR ESS AUDIO CHIPSET



- ▶ THE WORLD'S FIRST BALANCED GAMING HEADSET, PROVIDING THE ULTIMATE AUDIO EXPERIENCE.
- ▶ BALANCED DESIGN WITH A 4.4MM CONNECTOR FOR TOTAL CHANNEL SEPARATION AND REDUCED CROSSTALK.
- ▶ USB-C DAC WITH AN ESS AUDIO CHIPSET FOR DEVICE COMPATIBILITY AND FLAWLESS AUDIO FIDELITY.
- ▶ LARGE 50MM DRIVERS FOR A MORE IMMERSIVE AND REALISTIC AUDIO EXPERIENCE.
- ▶ 100HZ-8000HZ MICROPHONE FREQUENCY RANGE, TAILORED FOR CAPTURING CLEAR VOICE COMMUNICATION.



# PRECOG S

IMMERSIVE AUDIO



**SUPERB 50MM DRIVER**  
SOUND QUALITY

**HIGH SENSITIVITY**  
OMNIDIRECTIONAL MICROPHONE

**LIGHTWEIGHT**  
ONLY 300G



- ▶ AUTO ADJUSTABLE HEADBAND
- ▶ ROTATABLE EAR CUPS
- ▶ ON-EAR VOLUME CONTROL & MUTE SWITCH
- ▶ MICROPHONE FREQUENCY RANGE 100-8,000HZ
- ▶ IMMERSIVE AUDIO
- ▶ 3.5MM CONNECTOR
- ▶ Y-CABLE ACCESSORY
- ▶ SPATIAL 3D AUDIO SUPPORT VIA WINDOWS SONIC
- ▶ 2-YEAR WARRANTY



# SORCERER

SPELL IT OUT



## GASKET MOUNT DESIGN

TRIPLE-LAYERED DAMPENING FOAM

## XPG RED SWITCH

SMOOTH TYPING EXPERIENCE

## 96% FORM FACTOR

COMPACT DESIGN



- ▶ HOT-SWAPPABLE SWITCH DESIGN
- ▶ PER-KEY RGB LIGHTING CUSTOMIZATION, SUPPORTED BY XPG PRIME SOFTWARE.
- ▶ DETACHABLE USB-C CABLE.
- ▶ 3-LEVEL ADJUSTABLE HEIGHT ERGONOMIC DESIGN.



# SORCERER MINI

SPELL IT



## GASKET MOUNT DESIGN

TRIPLE-LAYERED DAMPENING FOAM

## XPG RED SWITCH

SMOOTH TYPING EXPERIENCE

## 65% FORM FACTOR

ULTRA PORTABLE



- ▶ HOT-SWAPPABLE SWITCH DESIGN
- ▶ PER-KEY RGB LIGHTING CUSTOMIZATION, SUPPORTED BY XPG PRIME SOFTWARE.
- ▶ DETACHABLE USB-C CABLE.
- ▶ 3-LEVEL ADJUSTABLE HEIGHT ERGONOMIC DESIGN.



# FRONTLINE XL

GLIDE | GRIP | DOMINATE



**PRECISE CONTROL**  
MICROFIBER SURFACE

**900 X 400 (MM)**  
LARGE SURFACE AREA

**STABLE GRIP**  
ANTI-SLIP RUBBER BASE



- ▶ SMOOTH MICROFIBER SURFACE FOR PRECISE CONTROL.
- ▶ XL SIZE PROVIDES AMPLE SPACE FOR ALL YOUR GEAR.
- ▶ ANTI SLIP RUBBER BASE KEEPS YOU IN CONTROL DURING INTENSE GAMEPLAY.
- ▶ CONSISTENT TRACKING EVEN AFTER ROLLING AND UNROLLING.
- ▶ DURABLE STITCHING PREVENTS FRAYING.



# FRONTLINE XL SAGA SERIES

XTREME GAMING



**XTREME SAGA DESIGNS**  
SAME XTREME PERFORMANCE

**900 X 400 (MM)**  
LARGE SURFACE AREA

**STABLE GRIP**  
ANTI-SLIP RUBBER BASE



- ▶ SMOOTH MICROFIBER SURFACE FOR PRECISE CONTROL.
- ▶ XL SIZE PROVIDES AMPLE SPACE FOR ALL YOUR GEAR.
- ▶ ANTI SLIP RUBBER BASE KEEPS YOU IN CONTROL DURING INTENSE GAMEPLAY.
- ▶ CONSISTENT TRACKING EVEN AFTER ROLLING AND UNROLLING.
- ▶ DURABLE STITCHING PREVENTS FRAYING.



## Headquarters

ADATA Technology Co., Ltd.  
Taipei  
T: +886-2-8228-0886  
E: [adata@adata.com](mailto:adata@adata.com)

## Asia

Beijing, China  
T: +86-10-8289-9532  
E: [adata\\_bj@adata.com](mailto:adata_bj@adata.com)

Hong Kong, China  
T: +852-2127-7072  
E: [adata\\_hk@adata.com](mailto:adata_hk@adata.com)

Shanghai, China  
T: +86-21-6233-1010  
E: [adata\\_sh@adata.com](mailto:adata_sh@adata.com)

Tokyo, Japan  
T: +81-3-5807-0011  
E: [adata\\_jp@adata.com](mailto:adata_jp@adata.com)  
E: [IASales\\_jp@adata.com](mailto:IASales_jp@adata.com)

Shenzhen, China  
T: +86-755-8882-3637  
E: [adata\\_sz@adata.com](mailto:adata_sz@adata.com)

Delhi, India  
T: +91-11-44731886  
E: [adata\\_delhi@adata.com](mailto:adata_delhi@adata.com)

## Americas

Los Angeles, USA  
T: +1-714-332-8708  
E: [adata\\_usa@adata.com](mailto:adata_usa@adata.com)  
E: [IASales\\_us@adata.com](mailto:IASales_us@adata.com)

Mexico City, Mexico  
T: +52-55-5543-7427  
E: [mexico@adata.com](mailto:mexico@adata.com)

Miami, USA  
T: +1-786-536-2128  
E: [adata\\_latin@adata.com](mailto:adata_latin@adata.com)

Santo Antonio de Posse, Brazil  
T: +55-19-3199-0886  
E: [adata\\_br@adata.com](mailto:adata_br@adata.com)

## Europe

Hoofddorp, Netherlands  
T: +31-23-5689203  
E: [adata\\_europe@adata.com](mailto:adata_europe@adata.com)

Munich, Germany  
T: +49-899-0405-296  
E: [IASales\\_eu@adata.com](mailto:IASales_eu@adata.com)

Cologne, Germany  
T: +49-221-65-080-4093  
E: [adata\\_europe@adata.com](mailto:adata_europe@adata.com)

## Manufacturing Facilities

Suzhou, China  
T: +86-512-6593-0886  
E: [adata@adata.com](mailto:adata@adata.com)

São Paulo, Brazil  
T: +55-19-3199-0886  
E: [adata\\_br@adata.com](mailto:adata_br@adata.com)

Manaus, Brazil  
T: +55-92-2125-9090  
E: [adata\\_br@adata.com](mailto:adata_br@adata.com)



[WWW.XPG.COM](http://WWW.XPG.COM)

Copyright 2025 by ADATA Technology Co., Ltd. All rights reserved.  
All brand names are registered trademarks of their respective owners.